Technical Specifications

HP E27u G5 QHD USB-C Monitor




1. Power Button

Front 2. LED Power



Technical Specifications

HP E27u G5 QHD USB-C Monitor



- 1. Joypad OSD button
- 2. Security Cable Slot
- 3. Power Connector
- 4. HDMI 1.4 Port
- 5. DisplayPort[™] 1.2
- 6. SuperSpeed USB Type-C[®] 5Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort[™] 1.2)

Back

- 7. DisplayPort[™] 1.2 out
- 8. RJ-45 Port
- 9. SuperSpeed USB Type-A 5Gbps signaling rate
- SuperSpeed USB Type-C[®] 5Gbps signaling rate (Up to 15W USB Power Delivery)
- **11.** SuperSpeed USB Type-A 5Gbps signaling rate (2, 1 charging)

Technical Specifications

Model: 6N4D3AA

Panel Specifications	Display Size (Diagonal)	27" (68.6 cm)
	Viewable Diagonal Size	27" (68.47 cm)
	Panel Technology	IPS
	Max Refresh Rate	75 Hz
	Native Resolution	QHD (2560 x 1440)
	Panel Bit Depth	True 8 bit
	Aspect Ratio	16:9
	Brightness (Typical)	350 nits
	Contrast Ratio (Static)	1000:1
	Dynamic Contrast Ratio	800000:1 =8M:1
	Flicker Free	Yes
	Pixel Pitch	0.23 x 0.23 mm
	Pixels Per Inch (PPI)	109 PPI
	Display Colors	Up to 16.7 million colors supported
	Backlight Lamp Life Minimum (To Half	30k
	Brightness - In Hours)	
	Backlight Type	Edge-lit
	Screen Treatment	Anti-glare
	Hardness	3H
	Haze	25%
	Response Time (Typical)	5ms GtG (with overdrive)
	Horizontal Viewing Angle	178°
	(Typical Cr>10)	
	Vertical Viewing Angle (Typical Cr>10)	178°
	Panel Active Area Metric (W X H)	59.67 x 33.57 cm
	Panel Active Area Imperial (W X H)	23.49 x 13.22 in
	NOTE: Performance specifications represent the	he typical specifications provided by HP's component
	manufacturers; actual performance may vary	either higher or lower.
Color	sRGB	99%
Color Management	Color Space/ Subsampling Support	RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2
	RGB Channel Adjust	Yes, Gain
	Default Color Temperature	Neutral (6500K)
	Factory Color Calibrated	Yes (Color Temperature)
	Factory Color Presets	Warm - 5000K,
		Neutral - 6500K,
		Cool - 9300K
Monitor Specifications	Bezel Type	3-sided borderless
	Color Of Stand	Black & Silver
	Color Of Head	Black
	Tilt	-5°~+20°
	Swivel	±45°
	Pivot	±90°
	Height Adjust Range	150 mm



Technical Specifications

HP E27u G5 QHD USB-C Monitor

Technical Specifica	tions	
	Vesa Mounting	100 mm x 100 mm
	Security Lock	Security lock-ready
	Detachable Stand	Yes
	Warranty	3/3/0 for LA, NA, EMEA, APJ
	-	(3/3/3 in select APJ Countries)
	Low Blue Light	Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)
	Management Software	HP Display Center, HP Display Manager* *Host PC requires Windows 10 and above. HP Display Center is available on the Microsoft store.
On Screen Display (OSD)	On Screen Display	Brightness +, Color, Image, Input, Power, Menu, Management, Information, Exit
(000)	Native Resolution	QHD (2560 x 1440)
	Maximum Resolution	QHD (2560 x 1440 @ 75 Hz)
	Preset Graphic Modes/Supported	640 x 480 @ 60Hz
	Resolutions	640 x 480 @ 75Hz
		720 x 400 @ 70 Hz
		800 x 600 @ 60 Hz
		800 x 600 @ 75 Hz
		1024 x 768 @ 60 Hz
		1024 x 768 @ 75 Hz
		1280 x 720 @ 60 Hz
		1280 x 1024 @ 60 Hz
		1280 x 1024 @ 75 Hz
		1440 x 900 @ 60 Hz
		1600 × 900 @ 60 Hz
		1680 x 1050 @ 60 Hz
		1680 x 1200 @ 60 Hz
		1920 x 1080 @ 60 Hz
		1920 x 1080 @ 75 Hz
		1920 x 1200 @ 60 Hz
		2560 x 1440 @ 60 Hz 2560 x 1440 @ 75 Hz
	Minimum Vertical Scan Rate	50 Hz
	Maximum Vertical Scan Rate	75 Hz
	Minimum Horizontal Scan Rate	30.0 kHz
	Maximum Horizontal Scan Rate	120.0 kHz
	Maximum Pixel Clock	310.0 MHz
	User Programmable Modes	Yes, 19
	User-Assignable Function Buttons	Yes, 4 (6 options)
	Languages	11 (English, Spanish, German, French, Italian, Netherlands, Portuguese, Japanese, T-Chinese, S-Chinese and Russian)
Connector Types	DisplayPort™	1 DisplayPort™ 1.2
connector Types	DisplayPort™ DisplayPort™ Out	1 DisplayPort™ 1.2 1 DisplayPort™ 1.2-out
	HDMI	1 HDMI 1.4
	HDCP	Yes, DisplayPort™, HDMI and USB Type-C [®]



Technical Specificati	ions	
	USB Type-C [®] Video Input	1 SuperSpeed USB Type-C® 5Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort™ 1.2)
	USB Type-C® Data	1 SuperSpeed USB Type-C [®] 5Gbps signaling rate (Up to 15W USB Power Delivery)
	USB- A	3 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging)
	ETHERNET	1 RJ-45 (10/100/1000 Mbps)
Special Features	SWITCH	Monitor Power button
		Next Active Input / Up button
		Information / Down button
		Brightness / Left button
		Color / Right button Menu / Enter button
	Domoto Managoahilitut, **	-
	Remote Manageability ^{*, **}	Through HP Display Manager, In-Band MAC Address Pass Through (MAPT),
		In-Band Wake on LAN (WoL),
		PXE Boot,
		Out-of-Band MAC Address Pass Through (MAPT),
		Out-of-Band Wake on LAN (WoL).
		*Not all notebooks support remote manageability.
		**Out-of-band manageability only available with HP G7, G8 and
		G9 HP notebooks and not supported on non-HP devices.
	User Presets	19
	User Updateable Firmware	Yes
	Other Special Features	Single Power On
Power & Operating	Power Supply	Internal
Specs	Power Source	100 – 240 VAC 50/60 Hz
	Power Consumption- Max	160W
	Energy Saving/Stand By Mode	0.5W
	Power Consumption - Typical	34.5W
Energy Star Data	Operational Mode at 100 VAC	20.49 W
	Operational Mode at 115 VAC	20.49 W
	Operational Mode at 230 VAC	20.54 W
EU Energy Efficiency Class (ErP LOT-5)	On-mode Power Consumption for Standard Dynamic Range (SDR)	22.7 W
	ErP LOT5 Energy Efficiency Class for	
	Standard Dynamic Range (SDR)	A F
Operating Conditions	Operating Temperature - Celsius	5° – 35°C
	Operating Temperature - Fahrenheit	41° – 95°F
	Non-Operating Temperature - Celsius	-40° - 65°C
	Non-Operating Temperature -	-40° – 149°F
	Fahrenheit	
	Operating Humidity	20 – 80% Relative Humidity (non-condensing)
	Non-Operating Humidity	5 – 95%



HP E27u G5 QHD USB-C Monitor

recinical specifical			
	Operating Altitude	0 – 5,000 m (16,400 ft.)	
	Non-operating Altitude	0 – 12,192 m (40,000 ft.)	
		, , , ,	
Certifications and	Low Halogen	Yes*	
Compliances		*External power supplies, WWA	AN modules, power cords, cables
		and peripherals excluded.	
	Agency Approvals and Certifications	WW application	
		CE/CB/KC/KCC/NOM/PSB/ICI	
		307/cTUVus/GS/ISC/CCC/CE	
		Certified Edge/Hardware Lo	5 5,
		Star/VCCI/FCC/BSMI/BIS/NR	
	Microsoft WHOL Cortification	EE/WEEE/EAC/PSE/E-Stand	
	Microsoft WHQL Certification Works With Chromebook Certified	Win 11 (x64 only), Win 10 (x Yes	64 Ulity)
	ENERGY STAR [®] Certified	Yes	
	EPEAT® Registered	EPEAT [®] Gold in United State	NC*
	Regions need to verify by country		
		*Based on US EPEAT® registrat	ion according to IEEE 1680.1-
		2018 EPEAT [®] . Status varies by	
		http://www.epeat.net for more	e information.
	China Energy Label	CEL Grade 1	
	TCO Certified Edge	Yes	
	TCO Certified	Yes	
	SmartWay Transport Partnership - NA	Yes (NA sku)	
	only		
Contains Recycled	Contains Recycled Plastics	Contains ocean-bound recv	cled plastic*, 80% ITE-derived
Plastics	······································	closed loop plastic**	
		*All plastic parts contain ocean	-bound plastic. Percentage of
		ocean-bound plastic contained	in each component varies by
		product.	
		**ITE Derived Closed Loop Plas definition set in the IEEE 1680.	
	Recycled Metals	At least 30% recycled metal	
			s a percentage of the total weight
			4021 definitions for metal parts
		over 25 grams.	
	Recyclable Packaging (Box, packing	Outside Box and corrugated	
	materials)	sustainably sourced and rec	•
		Molded Paper Pulp Cushion sustainably sourced and rec	
		,	d corrugated cushions made from
		sustainably sourced certified a	
		**Molded pulp cushions are ma	
		fiber and organic materials.	
		<u>Metric</u>	<u>Imperial</u>
Unit Product/Package	Product Dimensions	61.34 x 22.70 x54.47 cm	24.15 x 8.93 x 21.44 inch
Specifications	(Unpacked with stand) ($W \times D \times H$)		
	(enpacted men stand) (# A B A H)		



HP E27u G5 QHD USB-C Monitor

QuickSpecs

rechnical Specifica			
	Product Dimensions	69.9 x 16 x 44.6 cm	27.52 x 6.3 x 17.56 inch
	(Packed) (W x D x H)		
	Display Head Dimensions	61.34 x 4.67 x 36.46 cm	24.15 x 1.82 x 14.35 inch
	(Unpacked without stand) (W x D x H)	(w/o hinge)	(w/o hinge)
		61.34 x 7.47 x 36.46 cm	24.15 x 2.91 x 14.35 inch
		(w/ hinge)	(w/ hinge)
	Base Area Footprint	256 x 205 mm	10.08 x 8.07 inch
	(w x d mm)		
	Bezel Measurements	Bottom: 18.26 mm	Bottom: 0.72 inch
	Product Weight	7.2 kg	15.87 lb
	(Unpacked with stand)		
	Product Weight	9.7 kg	21.4 lb
	(Packed)		
	Product Weight	5.0 kg (w/o hinge)	11.02 lb (w/o hinge)
	(Head Only)	5.37 kg (w/ hinge)	11.83 lb (w/ hinge)
Pallet Information	Pallet Dimensions	Slip Sheet:	Slip Sheet:
	(L x W x H mm)	1130 x 709 x 2244 mm	44.49 x 27.91 x 88.35 inch
		(20' ft & 40' ft)	(20' ft & 40' ft)
		Slip Sheet:	Slip Sheet:
		1130 x 709 x 2244 mm	44.49 x 27.91 x 88.35 inch
		(40HQ)	(40HQ)
		Pallet:	Pallet:
		1130 x 709 x 1921 mm	44.49 x 27.91 x 75.63 inch
		(20' ft & 40' ft)	(20' ft & 40' ft)
		Pallet:	Pallet:
		1130 x 709 x 2367 mm	44.49 x 27.91 x 93.19 inch
		(40HQ)	(40HQ)
	Pallet Total Weight	Slip Sheet:	Slip Sheet:
	-	344.33 kg (20' ft & 40' ft)	759.11 lbs(20' ft & 40' ft)
		Slip Sheet:	Slip Sheet:
		344.33 kg (40HQ)	759.11 lbs (40HQ)
		Pallet:	Pallet:
		288.18 kg (20' ft & 40' ft)	635.32 lbs (20' ft & 40' ft)
		Pallet:	Pallet:
		356.86 kg (40HQ)	786.73 lbs (40HQ)
	Pallet Layers	Slip Sheet: 5 layers (20' ft &	40' ft)
		Slip Sheet: 5 layers (40' ft H(ב)
		Pallet: 4 layers (20' ft & 40' f	ft)
		Pallet: 5 layers (40' ft HQ)	
	Pallet Product per Layer	7 per layer (slip sheet)	
		7 per layer (pallet)	
	Total Products per Pallet	Slip Sheet: 35 sets (20' ft & 4	10' ft)
		Slip Sheet: 35 sets (40' ft HQ)
		Pallet: 28 sets (20' ft & 40' f	t)
		Pallet: 35 sets (40' ft HQ)	
	Container Load, 20-Foot	560 sets (slip sheet)	
		448 sets (pallet)	



Technical Specifications

	Container Load, 40-Foot Container Load, 40-Foot HighQ	1120 sets (slip sheet) 896 sets (pallet) 1120 sets (slip sheet) 1120 sets (pallet)
What's in the box?	AC power cord (1.83m) 5.9ft USB 3.1 C-C cable (1.8m) Warranty Quick Setup Poster	
User Guide and Warranty Languages	User Guide Languages Warranty Languages	Arabic, Bahasa Indonesia, Bulgarian, Chinese-S, Chinese- T, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Kazakh, Korean, Latvian, Lithuanian, Norwegian, Polish, Portuguese (Brazilian), Portuguese (Iberian), Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkey, Ukrainian English US (EN), English AP (EN-AP), English LA (EN-LA), English US (EN), English AP (EN-AP), English LA (EN-LA), English UK (EN-GB), Arabic (AR) -17x, Bahasa Indonesia (ID), Bosnian (BS), Bulgarian (BG), Chinese-S (CN), Chinese-T (TW), Croatian (HR), Czech (CS), Danish (DA), Dutch (NL), Estonian (ET), Finnish (FI), French Canadian (FC), French European (FR), German (DE), Greek (EL), Hebrew (HE), Hungarian (HU), Italian (IT), Japanese (JA), Kazakh (KK), Korean (KO), Latvian (LV), Lithuanian (LT), Norwegian (NO), Polish (PL), Portuguese, Brazilian (BR), Portuguese, Iberian (PT), Romanian (RO), Russian (RU), Serbian (SR), Slovak (SK), Slovenian (SL), Spanish, Castilian (ES-ES), Spanish, Latin America (ES-MX),

Swedish (SV), Thai (TH)

Turkish (TR), Ukrainian (UK), Vietnamese (VI)



Technical Specifications

ENVIRONMENTAL DATA

ENVIRUNMENTAL DATA		or is in the process of being se	tified to the following approvals and may be	
Eco-Label Certifications				
& declarations	labeled with one or more of these marks:			
	IT ECO declaration			
	US ENERGY STAR®	0		
	US Federal Energy	y Management Program (FEMP)	
			http://www.epeat.net for registration	
	status in your cou			
	TCO Certified Edg	-		
		servation Program (CECP)		
		onmental Protection Administr	ation (SEPA)	
	Taiwan Green Mai	ſk		
	Korea Eco-label			
	Japan PC Green la	bel*		
Sustainable Impact	• 80% ITE – derived closed	loop plastic		
Specifications	• 30% recycled metal			
	Low halogen			
	-	tod suchions are 100% sustain	ably coursed and recyclable	
	-	ted cushions are 100% sustain		
		on inside box is 100% sustaina	bly sourced and recyclable	
	Recycled Plastic cushions			
System Configuration	-		Declared Noise Emissions data for the	
	Notebook model is based of	on a "Typically Configured Note	ebook".	
Energy Consumption				
(in accordance with US				
ENERGY STAR [®] test				
method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz	
Normal Operation (Short	20.49 W	20.54 W	20.49 W	
idle)	20:49 W	20.54 W	20.45 W	
		20.54.14	20.40 W	
Normal Operation (Long	20.49 W	20.54 W	20.49 W	
idle)				
idle) Sleep	20.49 W	0.32 W	0.32 W	
idle)				
idle) Sleep	0.32 W	0.32 W	0.32 W	
idle) Sleep	0.32 W 0.28 W	0.32 W	0.32 W	
idle) Sleep	0.32 W 0.28 W NOTE:	0.32 W 0.29 W	0.32 W 0.28 W	
idle) Sleep	0.32 W 0.28 W NOTE: Energy efficiency data liste	0.32 W 0.29 W ed is for an ENERGY STAR® com	0.32 W 0.28 W Ipliant product if offered within the model	
idle) Sleep	0.32 W 0.28 W NOTE: Energy efficiency data liste family. HP computers mar	0.32 W 0.29 W ed is for an ENERGY STAR® com ked with the ENERGY STAR® Lo	0.32 W 0.28 W Ipliant product if offered within the model go are compliant with the applicable U.S.	
idle) Sleep	0.32 W 0.28 W NOTE: Energy efficiency data liste family. HP computers mar Environmental Protection	0.32 W 0.29 W ed is for an ENERGY STAR® com ked with the ENERGY STAR® Lo Agency (EPA) ENERGY STAR® s	0.32 W 0.28 W opliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model	
idle) Sleep	0.32 W 0.28 W NOTE: Energy efficiency data liste family. HP computers mar Environmental Protection family does not offer ENER	0.32 W 0.29 W ed is for an ENERGY STAR® com ked with the ENERGY STAR® Lo Agency (EPA) ENERGY STAR® s RGY STAR® compliant configura	0.32 W 0.28 W pliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model ations, then energy efficiency data listed is	
idle) Sleep	0.32 W 0.28 W NOTE: Energy efficiency data liste family. HP computers mark Environmental Protection family does not offer ENER for a typically configured F	0.32 W 0.29 W ed is for an ENERGY STAR® com ked with the ENERGY STAR® Lo Agency (EPA) ENERGY STAR® s RGY STAR® compliant configura PC featuring a hard disk drive, a	0.32 W 0.28 W Inpliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model	
idle) Sleep	0.32 W 0.28 W NOTE: Energy efficiency data liste family. HP computers mar Environmental Protection family does not offer ENER	0.32 W 0.29 W ed is for an ENERGY STAR® com ked with the ENERGY STAR® Lo Agency (EPA) ENERGY STAR® s RGY STAR® compliant configura PC featuring a hard disk drive, a	0.32 W 0.28 W pliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model ations, then energy efficiency data listed is	
idle) Sleep Off	0.32 W 0.28 W NOTE: Energy efficiency data liste family. HP computers mar Environmental Protection family does not offer ENER for a typically configured F Microsoft Windows® opera	0.32 W 0.29 W ed is for an ENERGY STAR® com ked with the ENERGY STAR® Lo Agency (EPA) ENERGY STAR® s RGY STAR® compliant configura PC featuring a hard disk drive, a ting system.	0.32 W 0.28 W Inpliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model ations, then energy efficiency data listed is a high efficiency power supply, and a	
idle) Sleep	0.32 W 0.28 W NOTE: Energy efficiency data liste family. HP computers mark Environmental Protection family does not offer ENER for a typically configured F	0.32 W 0.29 W ed is for an ENERGY STAR® com ked with the ENERGY STAR® Lo Agency (EPA) ENERGY STAR® s RGY STAR® compliant configura PC featuring a hard disk drive, a	0.32 W 0.28 W pliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model ations, then energy efficiency data listed is	
idle) Sleep Off	0.32 W 0.28 W NOTE: Energy efficiency data liste family. HP computers mar Environmental Protection family does not offer ENER for a typically configured F Microsoft Windows® opera	0.32 W 0.29 W ed is for an ENERGY STAR® com ked with the ENERGY STAR® Lo Agency (EPA) ENERGY STAR® s RGY STAR® compliant configura PC featuring a hard disk drive, a ting system.	0.32 W 0.28 W opliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model ations, then energy efficiency data listed is high efficiency power supply, and a	
idle) Sleep Off Heat Dissipation*	0.32 W 0.28 W NOTE: Energy efficiency data liste family. HP computers mar Environmental Protection family does not offer ENER for a typically configured F Microsoft Windows® opera	0.32 W 0.29 W ed is for an ENERGY STAR® com ked with the ENERGY STAR® Lo Agency (EPA) ENERGY STAR® s RGY STAR® compliant configura PC featuring a hard disk drive, a hting system. 230VAC, 50Hz	0.32 W 0.28 W Ipliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model ations, then energy efficiency data listed is high efficiency power supply, and a 100VAC, 50Hz	
idle) Sleep Off Heat Dissipation* Normal Operation (Short	0.32 W 0.28 W NOTE: Energy efficiency data liste family. HP computers mar Environmental Protection family does not offer ENER for a typically configured F Microsoft Windows® opera	0.32 W 0.29 W ed is for an ENERGY STAR® com ked with the ENERGY STAR® Lo Agency (EPA) ENERGY STAR® s RGY STAR® compliant configura PC featuring a hard disk drive, a hting system. 230VAC, 50Hz	0.32 W 0.28 W Ipliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model ations, then energy efficiency data listed is high efficiency power supply, and a 100VAC, 50Hz	



Sleep	1.1 BT	ll/hr	1.1 BTU/hr	1.1 BTU/hr	
Off	1.0 BT		1.0 BTU/hr	1.0 BTU/hr	
		dissipation is		asured watts, assuming the service	level is
Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the Spare parts are available throughout the warranty period and or for up to "5" years after the end of production.				
Additional Information	- 20 • This (WEI • This Drin • This wwv • Plas IS01	11/65/EC. HP product is EE) Directive - product is in king Water ar product is in v.epeat.net tics parts wei 043.	s designed to comply with th - 2002/96/EC. compliance with California H Id Toxic Enforcement Act of compliance with the IEEE 16 ghing over 25 grams used in	ions of Hazardous Substances (RoF e Waste Electrical and Electronic Eq roposition 65 (State of California; S 1986). 80 (EPEAT) standard at the Gold lev the product are marked per ISO114 erly disposed of at end of life.	uipment afe rel, see
Packaging Materials	External:	PAPER/Pap	er	970 g	
		PAPER/Pap		750 g	
		PAPER/Mol		570 g	
	Internal:		PE (Expanded Polyethylene)	17 g	
	internat.		PE (Expanded Polyethylene)	6 g	
			PE (Expanded Polyethylene)	5 g	
	The plastic packaging material contains at least 0.0% recycled content.				
	The corrugated paper packaging materials contains at least 92.5% recycled content.				
RoHS Compliance	restrictions in products wor	n the Europea Idwide throu	n Union (EU) Restriction of I	vere among the first companies to e lazardous Substances (RoHS) Direct buted to the development of relate am.	ive to our
	We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances— including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products.				
	We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.				
	To obtain a co	opy of the HP	RoHS Compliance Stateme	t, see HP RoHS position statement.	



Material Usage	This product does not contain any of the following substances in excess of regulatory limits (refer to		
	the HP General Specification for the Environment at		
	http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html):		
	Asbestos		
	Certain Azo Colorants		
	 Certain R20 Colorants Certain Brominated Flame Retardants – may not be used as flame retardants in plastics 		
	Cadmium		
	Chlorinated Hydrocarbons		
	Chlorinated Paraffins		
	Bis(2-Ethylhexyl) phthalate (DEHP)		
	Benzyl butyl phthalate (BBP)		
	Dibutyl phthalate (DBP)		
	Diisobutyl phthalate (DIBP)		
	Formaldehyde		
	Halogenated Diphenyl Methanes		
	Lead carbonates and sulfates		
	Lead and Lead compounds		
	Mercuric Oxide Batteries		
	• Nickel – finishes must not be used on the external surface designed to be frequently		
	handled or carried by the user.		
	Ozone Depleting Substances		
	Polybrominated Biphenyls (PBBs)		
	Polybrominated Biphenyl Ethers (PBBEs)		
	Polybrominated Biphenyl Oxides (PBBOs)		
	Polychlorinated Biphenyl (PCB)		
	Polychlorinated Terphenyls (PCT)		
	• Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been		
	voluntarily removed from most applications.		
	Radioactive Substances		
	Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)		
Packaging Usage	HP follows these guidelines to decrease the environmental impact of product packaging:		
	Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in		
	packaging materials.		
	 Eliminate the use of ozone-depleting substances (ODS) in packaging materials. 		
	 Design packaging materials for ease of disassembly. 		
	 Maximize the use of post-consumer recycled content materials in packaging materials. 		
	 Use readily recyclable packaging materials such as paper and corrugated materials. 		
	 Reduce size and weight of packages to improve transportation fuel efficiency. 		
	• Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.		
End-of-life Management	HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle		
and Recycling	your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales		
	office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.		



Technical Specifications

	The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.
HP, Inc. Corporate Environmental	For more information about HP's commitment to the environment:
Information	Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf
footnotes	 Percentage of ocean-bound plastic contained in each component varies by product Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard. External power supplies, WWAN modules, power cords, cables and peripherals excluded. 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic materials. Plastic cushions are made from >90% recycled plastic. Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.

Summary

Change Log			
February 8, 2023	V1 to V2	Added	Environmental Data
March 28, 2023	V2 to V3	Added	Works With Chromebook Certified in Certifications and Compliances section
April 12, 2023	V3 to V4	Updated	Color Management section
	V4 to V5		