# **Product specifications**

# Eaton 3S550D

# Catalog Number: 3S550D

Eaton 3S Gen2 UPS DIN, 550 VA, 330 W, Input: Schuko, Outputs: (3) Schuko, (3) Schuko surge only, USB Communication, Tower

# General specifications

**Product Name** 

Eaton 3S Gen2 UPS

Product Length/Depth

83.5 mm

**Product Width** 

325 mm

Warranty

2 year

Certifications

CE EAC

IEC/EN 62040-1 IEC/EN 62040-2 Catalog Number

3S550D

**Product Height** 

140 mm

**Product Weight** 

3.2 kg

Compliances

CE Marked

UPC

743172101754



# **Battery**

Battery type

Sealed, lead-acid

Runtime graph

View runtime graph

Battery replacement

User replaceable

Battery quantity

1

Battery management

Replaceable batteries, Automatic battery test, deep-discharge protection, cold-start capable

**Battery rating** 

12 V / 5 Ah

Extended battery capability

No

# Electrical output

Receptacle

(3) Schuko, (3) Schuko surge only

Voltage

230V

Wattage

330W

Output power factor

0.6

Output voltage range

184-264 V (adjustable to 161-284 V)

Output nominal voltage

230V default (220/230/240V)

Voltage distortion output (linear load) - max

0

Feed type

1

**Topology** 

Offline

VA rating

550 VA

# Electrical input

Input connection

Protective contact (SCHUKO)

Input nominal voltage

230V default (220/230/240V)

Nominal frequency

50-60 Hz

Input cord length

1.5 m

Input voltage range

184-264 V (adjustable to 161-284 V)

Input frequency range

46-70 Hz

# Communications

Includes network card

No

Communication

USB port (HID compliant)

Ethernet interface

No

User interface

LEDs

Potential free switch contact

No

**Expansion slots** 

No

## Software compatibility

Eaton UPS Companion (enables safe system shutdown, energy usage metering and configuration of UPS settings)

## Type of interface

USB

# **Environmental**

#### Altitude

2000 m

#### Noise level

<25 dB at 1 meter

## Relative humidity

0-85% non-condensing

# Additional specifications

# Construction type

Free standing model

## Package contents

USB cable

Quickstart guide

Safety instructions

#### Phase (output)

1

#### Auto shutdown function

Yes

#### Color

Black/White

# Efficiency

98

# Rack mounting kit

No

#### Phase (input)

1

## Surge protection

Yes

# Resources

#### **Brochures**

Eaton UPS Services Quick Guide 2021

Eaton UPS and battery services

#### Compliance information

CE-Eaton-3S-Gen2-UPS

#### Technical data sheets

Eaton 3S Gen2 UPS - Datasheet



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2023 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia